OSCAR



coffee ; wellbeing





THE COFFEE MACHINE YOU CAN TRUST.

We're strong, determined, precise.

We leave nothing to chance. Our strength is to make coffee machines that are always technically perfect, which makes them totally reliable.

You can count on a Nuova Simonelli.










OSCAR MOOD | 10 OSCAR MOOD | 11








Enjoy the art of coffee and milk recipes in full:

OSCAR MOOD is the powerful ally
of coffee lovers, which offers a never-ending
choice of taste to experiment with.

Design and function create unique coffee moments.

OSCAR MOOD makes the moments of our daily life at home more precious: made with high quality materials and a warm tech heart, really and easy for anyone to install and use.

Discover the art of latte & coffee made smart!





Enrich your moments,



OSCAR



OSCAR



OSCAR

Oscar and Oscar MOOD: meet the family and choose the one which best fits your expectations.









Technical specifications and dimensions

Body Material Stainless steel + ABS	MODEL	OSCAR	MOOD
Stainless steel + ABS Page	Body		
	Material		
Black - Read - Blue Black - Guacamole - Taupe - Red Steam Steam wand Manual Electronic Cool touch steam wand Manual Electronic Cool touch steam wand Manual Hydraulian Hydraulian Water tank capacity 3 Lt Black Optional Bysass Included Included Professional filter holder Included Moden Professional filter holder Included Moden Professional filter holder Included Moden Boiler Boiler Professional filter holder No Included Included No Leded No Leded No Leded No Leded Moden Moden Moden Moden Moden </td <td>Stainless steel + ABS</td> <td>•</td> <td>•</td>	Stainless steel + ABS	•	•
Steam wand Manual Electronic Cool buch steam wand No Included Hydraullics Water tank capacity 3 Lt 3 Lt Direct water connection Optional Optional Bypass Included Included Discharge tank capacity 1 Lt 1 Lt Thermocompensated group Included Included Professional filter holder Included Mooden Professional filter holder Professional pack Optional Boiler Very Professional pack Optional Boiler capacity 2 Lt 2 Lt Control pad - Display 2 Lt 2 Lt Control pad - Display No Included Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Visible on display Dimensions L+Ne (mn) - WwHxD (inches) 300 - 400 - 400 - 401 + 40 - 41 1 3/16* x15 3/4* x16 1/16*) 33 Kg	Colours		
Steam wand Manual Electronic Cool touch steam wand No Included Hydraulics Water tank capacity 3 Lt 3 Lt Direct water connection Optional Optional Bypass Included Included Bypass Included 1 Lt 1 Lt Thermocompensated group Included Included Professional filter holder Included Wooden Boiler Professional pack Optional Boiler 2 Lt 2 Lt PID temperature control No Included Boiler capacity 2 Lt 2 Lt Control pad - Display No Included Water shortage indicator Warning light Visible on display Water shortage indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions No Included Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 · (11 13/16		Black - Red - Blue	Black - Guacamole - Taupe - Red
Cool touch steam wand No Included Mydraulics Water tank capacity 3 Lt 3 Lt Direct water connection Optional Optional Bypass Included Included Bypass of Lick apacity 1 Lt 1 Lt Thermocompensated group Included Included Professional filter holder Included Wooden Boiler Professional pack Optional Boiler Professional pack Optional Boiler capacity 2 Lt 2 Lt Control pad - Display No Included Mater shortage indicator Warning light Visible on display Plotesting-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions No 1 3 Kg Net weight (kg) 13 Kg 13 Kg Dimension LHAP (mm) - WAHAD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 300×400×408 - (11 13/16"×15) Voitage 1 200 100 100 100 <td>Steam</td> <td></td> <td></td>	Steam		
Hydraulics Water tank capacity 3 Lt 3 Lt Direct water connection Optional Optional Bypass Included Included Discharge tank capacity 1 Lt 1 Lt Thermocompensated group Included Mooden Professional filter holder Included Wooden Double filter-holder Professional pack Optional Boiler Voltage Unded PID temperature control No Included Boiler capacity 2 Lt 2 Lt Control pad - Display Variety Included Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Visible on display Net weight (kg) 13 Kg 13 Kg Dimension LithaP (mm) - WikhaD (inches) 300 × 400 × 408 · (11 13/16 * x15 3/4 * x16 1/16 *) 300 × 400 × 408 · (11 13/16 * x15) Voitage	Steam wand	Manual	Electronic
Water tank capacity 3 Lt 3 Lt Direct water connection Optional Optional Bypass Included Included Discharge tank capacity 1 Lt 1 Lt Thermocompensated group Included Included Professional filter holder Included Wooden Double filter-holder Professional pack Optional Boiler Capacity Vo Included Boiler capacity 2 Lt 2 Lt Control pad - Display No Included Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Included Visible on display Net weight (kg) 13 Kg 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"x15 3/4"x16 1/16") 300×400×408 - (11 13/16"x15) Voitage	Cool touch steam wand	No	Included
Direct water connection Optional Optional Bypass Included Included Discharge tank capacity 1 Lt 1 Lt Thermocompensated group Included Included Professional filter holder Included Wooden Boiler Wooden Professional filter holder Optional Boiler Capacity No Included Boiler capacity 2 Lt 2 Lt Control pad - Display No Included Water shortage indicator Warning light Visible on display Heating- on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Visible on display Dimensions Visible on display Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"x15 3/4"x16 1/16") 300×400×408 - (11 13/16"x15) Voltage Power (Watt) 1200 1200	Hydraulics		
Included	Water tank capacity	3 Lt	3 Lt
Discharge tank capacity It It It Included Included Included Professional filter holder Double filter-holder Professional pack Optional Boiler PPID temperature control Boiler apacity Control pad - Display Display No Included Warning light Water shortage indicator Warning light Warning light Warning light Visible on display Timed dosing Included Display Dimensions Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) No 1200 1200 1200 1200 1200 1200 1200 120	Direct water connection	Optional	Optional
Thermocompensated group Included Included Professional filter holder Included Wooden Double filter-holder Professional pack Optional Boiler Included PID temperature control No Included Boiler capacity 2 Lt 2 Lt Control pad - Display No Included Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Visible on display Dimensions Visible on display Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300 x400 x408 - (11 13/16"x15 3/4"x16 1/16") 300 x400 x408 - (11 13/16"x15) Voltage Power (Watt) 1200 1200	Bypass	Included	Included
Professional filter holder Included Wooden Double filter-holder Professional pack Optional Boiler Professional pack Optional PID temperature control No Included Boiler capacity 2 Lt 2 Lt Control pad - Display Voisible on display Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Visible on display Dimensions Net weight (kg) 13 Kg 13 Kg Dimension LkHxP (mm) - WxHxD (inches) 300 x400 x408 - (11 13/16"x15 3/4"x16 1/16") 300 x400 x408 - (11 13/16"x15) Voltage Power (Watt) 1200 1200	Discharge tank capacity	1 Lt	1 Lt
Double filter-holder Professional pack Optional Boiler Boiler Capacity No Included Boiler capacity 2 Lt 2 Lt Control pad - Display Display No Included Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Visible on display Dimension LxHxP (mm) - WxHxD (inches) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"x15 3/4"x16 1/16") 300×400×408 - (11 13/16"x15) Voltage Power (Watt) 1200 1200	Thermocompensated group	Included	Included
Boiler PID temperature control No Included Boiler capacity 2 Lt 2 Lt Control pad - Display Display No Included Water shortage indicator Warning light Warning light Visible on display Timed dosing Included Visible on display Timed dosing Included Dimensions Net weight (kg) Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") Voltage Power (Watt) 1200 Included 1200	Professional filter holder	Included	Wooden
PID temperature control Boiler capacity 2 Lt Control pad - Display Display No No Included Water shortage indicator Warning light Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Net weight (kg) Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 70 Voltage Power (Watt) 1200 Included 1200	Double filter-holder	Professional pack	Optional
Boiler capacity2 Lt2 LtControl pad - DisplayNoIncludedWater shortage indicatorWarning lightVisible on displayHeating-on indicatorWarning lightVisible on displayTimed dosingIncludedVisible on displayDimensionsVisible on displayNet weight (kg)13 Kg13 KgDimension LxHxP (mm) - WxHxD (inches)300×400×408 - (11 13/16"x15 3/4"x16 1/16")300×400×408 - (11 13/16"x15)VoltagePower (Watt)12001200	Boiler		
Control pad - Display Display No Included Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Visible on display Visible on display Timed dosing Included Visible on display Visible on display 13 Kg Dimensions Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") Voltage Power (Watt) 1200 1200	PID temperature control	No	Included
Display No Included Water shortage indicator Warning light Visible on display Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 300×400×408 - (11 13/16"×15) Voltage Power (Watt) 1200 1200	Boiler capacity	2 Lt	2 Lt
Water shortage indicatorWarning lightVisible on displayHeating-on indicatorWarning lightVisible on displayTimed dosingIncludedVisible on displayDimensionsNet weight (kg)13 Kg13 KgDimension LxHxP (mm) - WxHxD (inches)300×400×408 - (11 13/16"×15 3/4"×16 1/16")300×400×408 - (11 13/16"×15)VoltagePower (Watt)12001200	Control pad - Display		
Heating-on indicator Warning light Visible on display Timed dosing Included Visible on display Dimensions Very light (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 300×400×408 - (11 13/16"×15) Voltage Power (Watt) 1200 1200	Display	No	Included
Timed dosing Included Visible on display Dimensions Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 300×400×408 - (11 13/16"×15) Voltage Power (Watt) 1200	Water shortage indicator	Warning light	Visible on display
Dimensions Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 300×400×408 - (11 13/16"×15) Voltage Power (Watt) 1200 1200	Heating-on indicator	Warning light	Visible on display
Net weight (kg) 13 Kg 13 Kg Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 300×400×408 - (11 13/16"×15) Voltage Power (Watt) 1200 1200	Timed dosing	Included	Visible on display
Dimension LxHxP (mm) - WxHxD (inches) 300×400×408 - (11 13/16"×15 3/4"×16 1/16") 300×400×408 - (11 13/16"×15) Voltage Power (Watt) 1200 1200	Dimensions		
Voltage Power (Watt) 1200 1200	Net weight (kg)	13 Kg	13 Kg
Power (Watt) 1200 1200	Dimension LxHxP (mm) - WxHxD (inches)	300×400×408 - (11 13/16"×15 3/4"×16 1/16")	300×400×408 - (11 13/16"×15)
	Voltage		
Voltage 110-230 V 110-230 V	Power (Watt)	1200	1200
	Voltage	110-230 V	110-230 V

Nuova Simonelli reserves the right to modify the appliances presented in this publication without notice.





















